REGISTERED No. D. 222

SUPPLEMENT TO

The Gazette of India

No. 34] NEW DELHI, SATURDAY, SEPTEMBER 15, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th August, 1956

	Cholera		Smallpox		Plague	
	C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)						
Ajmer						
Total	..	..	..	..	..	..
(Estd. mid-year pop. 752 thousands).						
Total for w/e 11-8-56.	..	..	..	..	..	..
Total for w/e 4-8-56.	..	..	..	..	..	..
7-yearly mean for the week	..	..	..	..	..	..
Andhra						
Srikakulam	4	3	..	..	..	..
Visakhapatnam	..	..	4	..	..	..
Godavari East	..	..	15	5	..	..
Godavari West	..	..	27	5	..	..
Krishna	..	..	..	3	..	..
Guntur	1	..	36	4	..	..
Nellore	..	..	14	..	..	..
Kurnool	..	..	28	2	..	..
Chittoor	..	..	37	3	..	..
Total	5	3	161	22	..	..
(Estd. mid-year pop. 21,238 thousands).						
Total for w/e 11-8-56	9	6	119	38	..	..
Total for w/e 4-8-56	2	2	157	43	..	..
7-yearly mean for the week	327	164	73	18	..	..
Assam						
Kamrup	..	..	9	3	..	..
Total	..	..	9	3	..	..
Assam—*contd.*						
(Estd. mid-year pop. 9,817 thousands).						
Total for w/e 11-8-56	..	..	5	3	..	..
Total for w/e 4-8-56	4	3	10	2	..	..
7-yearly mean for the week	..	..	1	1	..	.
Bhopal						
Total	..	..	2	2	..	..
(Estd. mid-year pop. 867 thousands).						
Total for w/e 11-8-56	..	..	6	1	..	..
Total for w/e 4-8-56	..	..	..	1	..	..
7-yearly mean for the week	2	1	..	..	.	..
Bihar						
Patna	179	63	8	5	..	..
Gaya	43	19	..	..	..	..
Shahabad	16	10	..	..	..	..
Saran	9	3	..	..	..	..
Darbhanga	18	3	..	..	..	..
Hazaribagh	3	2	..	..	..	..
Manbhum	1	1	..	..	..	..
Total	269	101	8	5	..	..
(Estd. mid-year pop. 42,198 thousands.)						
Total for w/e 11-8-56	576	219	13	7	..	..
Total for w/e 4-8-56	687	265	21	13	..	..
7-yearly mean for the week	482	198	12	3	..	

Explanation of Symbols used :—C.=Cases; D.=Deaths; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th August, 1956— *contd.*

	Cholera		Smallpox		Plague	
	C.	D.	C.	D.	C.	D.
Bombay						
Ahmednagar	..	..	1	2	..	..
East Khandesh	30	7	2	1	..	..
West Khandesh	103	17	4	2	..	..
Sholapur	1	..	—	..	..	..
Dharwar	..	..	3	1	..	..
Baroda	..	..	7	..	..	..
TOTAL	134	24	17	6	..	..
(Estd. mid-year pop. 39,569 thousands.)						
Total for w/e 11-8-56	41	8	37	7	..	..
Total for w/e 4-8-56	23	10	28	9	..	..
7-yearly mean for the week	78	38	67	11	6	2
Coorg						
TOTAL	..	..	..	..	..	..
Estd. mid-year pop. 262 thousands.)						
Total for w/e 11-8-56	—	..	..	..	..	—
Total for w/e 4-8-56	..	..	..	..	..	..
7-yearly mean for the week	—	—	..	—	..	..
Delhi						
Delhi City	..	..	1	..	..	..
Delhi Notified Area	..	..	—	1	..	..
TOTAL	..	..	1	1	..	..
(Census pop. 1,744 thousands.)						
Total for w/e 11-8-56	..	..	1	1	..	..
Total for w/e 4-8-56	..	..	1	..	..	..
7-yearly mean for the week	..	..	..	..	..	..
Himachal Pradesh						
TOTAL	—	—	..	..	..	—
(Estd. mid-year pop. 1,003 thousands).						
Total for w/e 11-8-56	..	..	—	..	.	..
Total for w/e 4-8-56	—	..	..	..	.	..

	Cholera		Smallpox		Plague	
	C.	D.	C.	D.	C.	D.
Madhya Pradesh						
Chanda	3	1	7	4	..	..
Betul	..	..	3	..	..	..
Bhandara	17	8	33	3	..	..
Jabalpur	4	1	..	..	..	..
Sagar	..	..	7	1	..	..
Hoshangabad	..	..	3	..	..	..
Balaghat	11	2	56	5	..	..
Raipur	3	2	4	..	..	..
Bilaspur	7	5	..	..	..	..
Durg	183	90	19	5	..	..
Raigarh	9	5	..	..	..	..
Akola	..	..	29	6	..	..
Buldana	..	..	2	1	..	..
TOTAL	237	114	163	25	..	..
(Estd. mid-year pop. 22,109 thousands)						
Total for w/e 11-8-56	222	105	81	10	..	..
Total for w/e 4-8-56	192	111	64	14	..	..
7-yearly mean for the week	225	116	28	6	2	..
Madras						
Madras City	..	..	5	2	..	..
Chingleput	..	..	3	2	..	..
Salem	—	..	18	1	..	..
Coimbatore	..	..	1	..	..	..
South Arcot	..	..	42	15	..	..
Tanjore	..	..	2	1	..	..
Tiruchirappalli	..	..	4	1	..	..
Mathurai	—	..	4	..	..	..
Ramnathapuram	..	..	1	1	..	..
Tirunelveli	..	..	19	4	—	—
Malabar	..	..	4	3	..	..
South Kanara	..	..	3	..	..	..
TOTAL	..	..	106	30	..	..

Explanation of Symbols used:— C.=Cases ; D.=Deaths ; ..= Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th August, 1956—*contd.*

	CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.
Madras—*contd.*						
(Estd. mid-year pop. 38,273 thousands)						
Total for w/e 11-8-56.	..	..	88	38	..	..
Total for w/e 4-8-56	..	..	52	25	..	..
7-yearly mean for the week	307	159	70	14	..	..
Manipur						
Total	..	..	..	..	..	..
(Estd. mid-year pop. 613 thousands)						
Total for w/e 11-8-56	..	..	..	..	..	..
Total for w/e 4-8-56	..	..	..	..	..	..
Orissa						
Cuttack	178	93	..	..	..	..
Balasore	..	..	3	..	..	..
Puri	..	..	3	..	..	..
Sambalpur	..	..	5	1	..	..
Ganjam	49	33	1	..	..	..
Bandh	..	..	1	..	..	..
Keonjhar	7	3	..	..	..	..
Dhenkanal	13	11	22	5	..	..
Kalahandi	..	..	4	..	..	..
TOTAL	247	140	39	6	..	..
(Estd. mid-year pop. 15,114 thousands.)						
Total for w/e 11-8-56	271	127	14	..	..	..
Total for w/e 4-8-56	129	57	11	1	..	..
7-yearly mean for the week	29	14	50	10	..	..
Punjab (1)						
TOTAL	..	..	..	..	..	..
(Census pop. 12,641 thousands.)						
Total for w/e 11-8-56	..	..	1	1	..	..
Total for w/e 4-8-56	..	..	1	1	..	..
7-yearly mean for the week	4	1	4	1	..	..
Pondicherry						
TOTAL	..	..	14	14	..	..

	CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.
Tripura						
TOTAL	..	..	..	..	..	..
(Estd. mid-year pop. 706 thousands.)						
Total for w/e 11-8-56	..	..	..	..	..	..
Total for w/e 4-8-56	..	..	..	..	..	..
Uttar Pradesh						
Allahabad	..	..	6	1	..	..
Aligarh	31	14	..	..	..	..
Azamgarh	12	2	..	..	..	..
Bareilly	10	3	..	..	..	..
Banaras	1	1	..	..	..	..
Basti	1	..	..	..	..	..
Bahraich	..	..	1	2	..	..
Bara Banki	18	7	..	..	..	..
Faizabad	..	..	2	..	..	..
Gorakhpur	6	4	..	..	..	..
Pratapgarh	12	4	..	..	..	..
Shahjahanpur	1	1	..	..	..	..
Unnao	1	..	..	..	..	..
TOTAL	93	36	9	3	..	..
(Estd. mid-year pop. 66,780 thousands)						
Total for w/e 11-8-56	119	50	18	10	..	..
Total for w/e 4-8-56	47	24	4	4	..	..
7-yearly mean for the week	192	91	13	7	2	..
Vindhya Pradesh						
TOTAL	..	..	..	..	..	..
(Estd. mid-year pop. 3,686 thousands)						
Total w/e 11-8-56	..	..	..	..	..	..
Total w/e 4-8-56	..	..	..	..	..	..
West Bengal						
Burdwan	5	3	1	1	..	..
Birbhum	3	2	..	..	..	..
Bankura	5	4	..	..	..	..
Midnapur	2	..	2	3	..	..
Hooghly	1	..	..	..	..	..
Howrah	7	2	6	6	..	..

Explanation of symbols used : C.=Cases ; D.=Deaths; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th August, 1956—*contd.*

	Cholera		Smallpox		Plague	
	C.	D.	C.	D.	C.	D.
West Bengal—*contd.*						
24-Parganas	22	12	9	2	..	..
Calcutta	3	3	4	4	..	..
Murshidabad	..	..	2	..	..	..
Malda	..	..	11	1	..	..
TOTAL	48	26	35	17	..	..
(Estd. mid-year pop. 26,396 thousands.)						
Total for w/e 11-8-56	92	51	42	18	..	..
Total for w/e 4-8-56	133	61	30	11	..	..
7-yearly mean for the week	109	39	17	11	..	..
Grand Total for States Parts (A) & (C)	1,033	444	564	134	..	..
(Corresponding Estd. mid-year pop. 303,768* thousands.)						
Corresponding total for w/e 11-8-56	1,330	566	446	155	..	..
Corresponding total for w/e 4-8-56	1,217	533	408	146	..	..
Corresponding 7-yearly mean for the week	1,755	821	335	82	10	2

STATES PART (B)

Hyderabad

Aurangabad	13	7	..	..	..	..
Gulberga	7	3	..	..	..	..
Bidar	..	..	..	1	..	..
Mahbubnagar	..	..	2	..	..	..
Hyderabad	..	..	5	..	..	..
Khammam	..	..	1	2	..	..
TOTAL	20	10	8	3	..	..

Jammu and Kashmir

"N. R."

Madhya Bharat

"N. R."

Mysore

Kolar	..	..	2	..	9	2
TOTAL	..	..	2	..	9	2

Patiala and East Punjab States Union

TOTAL	..	..	..	..	..	..

	Cholera		Smallpox		Plague	
	C.	D.	C.	D.	C.	D.
Rajasthan						
"N. R."						
Saurashtra						
TOTAL	..	..	..	..	..	..
Travancore-Cochin						
TOTAL	..	..	7	1	..	..
Grand Total for States Part (B)	20	10	17	4	9	2
Grand Total for States Parts (A), (B) and (C)	1,053	454	581	138	9	2

ARREAR INFORMATION

Hyderabad

for w/e 11-8-56

Khammam	..	..	..	1	..	..
Raichur	1	..	..	..	..	..
Bidar	..	..	2	2	..	..
Hyderabad	..	..	15	..	..	..
TOTAL	1	..	17	3	..	..

Rajasthan

for w/e 28-7-56

TOTAL	..	..	9	2	..	..

Saurashtra

for w/e 11-8-56

Sorath	..	..	..	1	..	..
Zalawad	..	..	3	..	..	..
TOTAL	..	..	3	1	..	..

Mysore

for w/e 7-7-56

Billary	..	..	1	..	..	..
Chitaldrug	..	..	23	2	..	..
Kolar	..	..	4	..	—	..
TOTAL	..	..	28	2	..	..

for w/e 21-7-56 (*Revised*)

Bangalore	..	..	..	..	4	..
Kolar	..	..	2	—	..	..
TOTAL	..	..	2	..	4	..

Explanation of symbols used : C. = Cases ; D. = Deaths ; .. = Nil. ; "N.R." = Information not received.
*Excluding Pondicherry.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th August, 1956—*concld.*

	CHOLERA		SMALLPOX		PLAGUE	
—	C.	D.	C.	D.	C.	D.
Mysoor—*contd.*						
For w/e 4-8-56 (Revised)						
Kolar	..	..	2	1	..	..
Tumkur	..	..	1	..	..	..
TOTAL	..	..	3	1	..	..
For w/e 11-8-56 (Revised)						
Bangalore	..	..	..	..	1	1
Kolar	..	..	..	..	8	2
Tumkur	..	..	1	..	..	..
TOTAL	..	..	1	..	9	3
Madhya Bharat						
For w/e 21-7-56						
TOTAL	..	..	..	..	..	..

	CHOLERA		SMALLPOX		PLAGUE	
—	C.	D.	C.	D.	C.	D.
Madhya Bharat—*contd.*						
For w/e 28-7-56						
TOTAL	..	..	2	1	..	..
Patiala and East Punjab States Union						
For we 16-6-56						
TOTAL	..	..	..	..	..	..

POLIOMYELITIS

(Information based on patients treated in hospitals in important towns)

Place	*Period*	*Cases*	*deaths*
Greater Bombay	5—18th August, 1956	5	1
Delhi	5—18th August, 1956	4	..

Explanation of symbols used C.=Cases ; D.=Deaths; ..=Nil. ;

NEW DELHI-2 (INDIA);
The 10th September, 1956

K. MITRA,
for *Registrar General, India.*

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

AC. 696

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th August, 1956

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :— C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D
STATES—(Parts A and C)													
Ajmer													
Ajmer	223	73	17.0	..	..	..	8	2	5	.	29	6·8	11
Beawar	59	21	18·5	.	..	.	5	7	2	..	20	17·6	5
TOTAL	282	94	17·3	..	..	.	13	9	7	..	49	9·0	16
Andhra													
Adoni	63	47	38.8	..	..	..	..	2	..	..	12	9.9	3
Anantpur†													
Anakapalli	46	32	36·2	..	..	..	1	..	3	..	16	18·1	3
Bhimavaram	36	28	40·4	..	..	..	1	..	1	..	5	7·2	1
Chirala	43	18	21·8	..	..	..	3	2	..	..	8	9·7	2
Chitoor	45	35	40·5	..	..	..	6	..	1	..	17	19·2	3
Cuddapah	42	18	22·3	..	..	..	..	..	2	2	14	17·3	1
Eluru	99	37	19·4	1	1	..	7	..	1	1	39	20·5	13
Gudivada	36	66	95·3	..	..	..	1	2	..	..	7	10·1	2
Guntur	147	150	53·1	..	1	..	12	4	5	1	63	22·3	12
Guntakal	37	10	14·1	..	..	..	2	..	..	1	9	12·6	1
Kakinada	113	25	11·5	..	1	..	..	1	..	..	11	5·1	2
Kurnool	68	69	52·8	..	..	..	1	3	1	..	20	15·3	4
Masulipatnam	88	18	10·6	..	..	..	..	1	1	..	8	4·7	2
Nandyal	37	15	21·1	..	6	..	1	2	3	..	22	31·0	4
Nellore	95	94	51·4	..	..	..	5	1	3	..	39	21·3	15
Proddatur	42	22	27·3	..	..	..	4	..	2	..	12	14·8	3
Rajahmundry	122	32	13·6	..	..	..	5	2	2	..	22	9·7	4
Tenali	67	56	43·4	..	..	..	..	1	4	..	19	14·7	7
Vijayvada	201	121	31·3	..	..	..	7	7	7	..	49	12·7	16
Visakhapatnam	128	75	30·4	..	3	..	8	5	13	..	60	24·4	13
Vizianagaram	75	38	26·3	..	..	..	4	4	4	..	27	18·7	3
TOTAL	1,630	1,006	32·1	1	12	..	68	37	53	7	479	15·3	114
Assam													
Shillong†													
Gauhati†													
Dibrugarh	46	2	2.2	..	..	..	1	..	..	..	1	1·1	..
Silchar	43	3	3·6	..	..	—	..	..	1	..	2	2·4	—
TOTAL	89	5	2·9	..	..	..	1	..	1	..	3	1·8	..
Bhopal													
Bhopal	116	41	18·4	..	..	..	3	—	3	..	9	4·0	—
Bihar													
Arrah	70	6	4·5	1	1	..	1	1	..	..	6	4·5	..
Bihar	68	11	8·4	..	..	..	3	..	..	..	4	3·1	..
Bettiah†													
Bhagalpur†	126	32	13·2	—	..	..	2	..	..	..	22	9·1	..
Chapra	69	42	31·6	—	—	—	1	..	..	..	7	5·3	..
Darbangha	93	23	12·9	..	..	..	1	1	..	..	6	3·4	..
Dhanbad	41	13	16.5	..	..	..	..	..	..	..	4	5·1	..
Dinapur	44	6	7·1	..	..	..	1	..	..	2	5	5·9	..
Gaya	149	37	12·9	..	..	..	29	2	7	2	58	20·2	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fevers; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths); . . .= Nil information; "N. R."=Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th August, 1956—*contd.*

Town	Mid year Popn. Est. (000)	B.	B.R.*	Deaths from :— C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bihar—*contd.*													
Hazaribagh	39	12	16·0	..	..	..	..	..	..	..	6	8·0	..
Jamalpur	47	4	4·4	..	..	..	..	..	..	..	..	..	..
Jamshedpur	246	140	29·6	..	..	..	..	..	2	1	18	3·8	6
Katihar	51	..	..	..	..	..	..	..	..	..	..	..	..
Monghyr†													
Muzaffarpur	84	47	29·1	..	..	..	14	2	1	..	46	28.5	..
Patna	330	160	25·2	2	..	..	5	1	2	..	50	7·9	..
Purulia	47	8	8·8	..	..	..	1	..	..	1	3	3·3	..
Ranchi	130	19	7·6	..	..	..	10	..	..	..	13	5·2	..
TOTAL	1,634	560	17·8	3	1	..	68	7	12	7	248	7·9	6
Bombay													
Ahmedabad	889	946	55·3	..	..	..	22	20	85	..	407	23·8	161
Ahmednagar	88	67	39·6	..	..	..	3	1	3	1	34	20·0	7
Amalner	50	27	28·1	..	..	..	9	..	6	..	25	26·0	1
Bagalkot	36	32	46·2	..	..	..	..	1	1	..	6	8·7	3
Baroda	242	206	44·3	..	..	..	15	7	11	1	66	14·2	18
Barsi	46	32	36·2	..	..	..	9	1	1	1	21	23·7	7
Belgaum	110	32	15·1	..	..	..	4	1	3	—	16	7·6	4
Bhusawal	62	40	33·5	..	..	..	3	..	2	..	10	8·4	1
Bijapur	75	47	32·6	..	..	..	3	1	2	..	15	10·4	2
Broach	67	56	43·4	..	..	..	9	1	..	..	21	16·3	3
Cambay	41	37	55.0	..	..	..	..	..	..	—	4	5·9	..
Chalisgaon	35	33	49·0	..	..	..	3	..	1	..	10	14·9	2
Dharwar	76	19	13·0	..	..	..	..	..	..	..	6	4·1	1
Dhulia	89	52	30·4	..	—	..	8	3	1	..	24	14·0	4
Gadag-Betegeri	71	55	40.3	..	1	..	10	..	3	..	27	19·8	7
Godra	40	30	39.0	..	..	..	2	..	1	1	7	9·1	2
Greater Bombay	3,449	1,377	20·8	..	..	..	3	31	95	1	535	8·1	138
Hubli	148	47	15·5	..	..	..	1	1	1	..	17	6·0	1
Ichalgaon	79	18	11·8	..	..	..	4	1	1	..	12	7·9	2
Kalyan	73	28	19·9	..	..	..	1	1	1	..	9	6·4	..
Kolhapur	159	143	46·8	..	..	..	2	3	4	1	25	8·2	5
Malegaon	63	44	36·3	..	..	..	3	..	1	..	5	4·1	1
Miraj	44	34	40·2	..	..	..	..	..	4	..	13	15·4	..
Nadiad	71	63	46·1	..	..	..	20	..	2	1	32	23·4	9
Nandurbar	35	21	31·2	..	..	..	2	..	..	..	7	10·4	3
Nasik	119	96	41·9	..	..	—	2	1	5	..	24	10·5	7
Navasari	50	28	29·1	..	..	..	6	..	..	..	10	10·4	3
Pandharpur	44	21	24·8	..	..	..	3	3	3	..	17	20·1	4
Patan	47	35	38·7	..	..	..	3	1	3	..	13	14·4	1
Poona	607	361	30·9	..	..	..	7	4	24	..	108	9·3	26
Sangli	58	18	16·1	..	..	..	1	1	1	..	11	9·9	4
Satara	40	30	39·0	..	..	..	..	..	2	1	15	19·5	2
Sholapur	299	242	42·0	..	..	..	21	15	36	..	121	21·0	33
Surat	250	156	32·4	..	..	..	7	6	13	1	90	18·7	26
Thana	61	27	23·0	..	..	..	..	2	..	..	11	9·4	4
TOTAL	7,713	4,500	30·3	..	1	..	186	106	316	9	1,774	12·0	492
Delhi State													
Delhi City	1,124	576	26·6	..	..	..	60	10	15	1	156	7·2	53
New Delhi	374	297	41·3	..	..	..	5	2	2	..	81	11·3	20
N.A.C. Civil Station, Delhi	117	102	45·3	..	1	..	3	2	3	..	19	8·4	6
Delhi Cantt.	50	10	10·0	..	..	..	1	..	2	..	4	4·2	2
Delhi-Shahadara	53	45	44·2	..	..	..	6	2	..	..	9	8.8	4
TOTAL	1,718	1030	31·2	..	1	..	75	16	22	1	269	8·1	85

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera ; S.—Smallpox ; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D. —Maternal Deaths; D. R.—Death Rates; I. D.—Infantile Deaths (included in total deaths); . .—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th August, 1956—*contd.*

Town	Mid-year Popn-Est. (000)	B.	B.R.*	Deaths from :— C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D
Madhya Pradesh													
Achalpur	38	40	54·7	..	..	..	7	..	..	..	11	15·0	2
Akola	104	80	40·0	..	..	..	13	5	2	..	33	16·5	6
Amravati†													
Bilaspur	40	30	39·0	1	..	..	6	3	..	..	16	20·8	4
Burhanpur	79	76	50·0	..	..	..	9	4	1	..	20	13·2	..
Chanda	43	31	37·5	..	..	..	5	1	..	..	12	14·5	7
Chindwara†													
Damoh†													
Gondia†													
Hingaghat†													
Jabalpur†													
Khandwa	59	30	26·4	..	..	..	3	..	..	..	9	7·9	..
Khangaon†													
Kamptee †													
Murwara†													
Itarsi†													
Nagpur†													
Sagar	75	25	17·3	..	..	..	3	..	..	..	6	4·2	..
Raipur†													
Raigarh†													
Wardha†													
Yeotmal	41	28	35·5	..	..	..	8	..	..	.	18	22·8	8
TOTAL	479	340	36·9	1	..	..	54	13	3	..	125	13·6	27
Madras													
Ambur	44	39	46·1	..	..	..	..	1	1	..	5	5·9	2
Aruppukottai	56	21	19·5	..	..	..	2	4	2	1	13	12·1	1
Bodinayakanpur†	40	15	19·5	..	..	..	2	..	..	..	3	3·9	..
Cannanore	47	15	16·6	..	..	..	3	..	5	..	19	21·0	2
Chidambaram	39	16	21·3	..	..	..	1	1	..	..	6	8·0	1
Coimbatore	234	181	40·2	..	..	..	1	8	12	4	72	16·0	16
Cuddalore	74	71	49·9	..	..	..	6	1	1	1	25	17·6	10
Dindigul	90	46	26·6	..	..	..	1	1	2	2	18	10·5	1
Erode	67	59	45·8	..	..	..	..	1	1	2	17	13·2	4
Gobichetty Palyan	38	9	12·3	..	..	..	..	..	..	..	4	5·5	2
Guddiyattam	53	32	31·4	..	..	..	..	6	2	..	13	12·8	1
Kancheepuram	90	70	40·4	4	..	..	..	5	22	1	45	26·0	9
Karaikudi	44	29	34·3	..	..	..	2	..	..	..	6	7·1	2
Karur	50	21	21·8	..	..	..	..	..	1	..	8	8·3	..
Kozhikode †													
Kumbakonam	105	54	26·7	..	..	..	..	2	1	..	14	6·9	2
Madras	1,703	1,010	30·8	..	2	..	55	121	169	2	578	17 6	187
Mangalore	136	104	39·8	..	..	..	1	2	..	..	29	11·1	10
Mathurai	427	212	25·8	..	..	..	6	10	17	3	94	11·4	19
Mayuram †													
Malapalyam	41	19	24·1	..	..	..	1	3	1	..	5	6·3	1
Nagapattinam	60	42	36·4	..	..	..	1	1	..	..	8	6·9	2
Octacamund	48	28	30·3	..	..	..	..	..	1	..	3	3·2	2
Palni	40	15	19·5	..	..	..	1	..	2	..	6	7·8	3
Palayamkottai	45	41	47·4	..	..	..	2	..	2	..	15	17·3	3
Palghat	77	47	31·7	..	..	..	..	..	2	2	17	11·5	5
Periyakulam	34	27	41·3	..	..	..	1	3	3	..	12	18·4	4
Pollachi	51	15	15·3	..	..	..	..	2	1	..	10	10·2	4
Pudukottai	50	19	19·8	..	1	..	..	2	..	..	8	8·3	2
Rajapalayam	69	19	14·3	..	..	..	..	1	1	..	9	6·8	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague ; F.=Fevers; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th August, 1956—*contd.*

Town	Mid-year Popn. Est (000)	B.	B.R.*	Deaths from :— C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—*contd.*													
Salem†													
Srirangam	42	17	21·0	..	..	..	1	1	..	..	7	8·7	..
Srivilliputtur†													
Tanjore	118	18	7·9	..	1	..	3	4	3	1	46	20·3	5
Tellicherry	42	18	22·3	..	..	..	..	..	2	..	8	9·9	2
Tiruvannamalai	45	37	42·8	..	..	..	..	..	1	..	7	8·1	4
Tirunelveli	80	36	23·4	..	1	..	..	..	2	..	19	12.4	8
Tiruppur	63	50	41·3	..	..	..	..	1	..	..	9	7·4	..
Tiruchirappalli	251	190	39·4	..	..	..	2	6	7	3	52	10·8	7
Tuticorin	111	43	20·1	..	..	..	3	3	6	2	27	12·6	12
Vaniyambadi	43	19	23·0	..	..	..	3	2	..	..	9	10·9	1
Vellore	124	124	52·0	..	..	..	2	2	7	1	49	20·5	16
Villupuram	39	19	25·3	..	1	.	1	..	1	..	11	14·7	..
Virudunagar	53	25	24.5	..	..	..	..	5	2	..	13	12·8	3
TOTAL	4,863	2,872	30·7	4	6	..	101	199	280	25	1,319	14·1	354
Orissa													
Berhampur	72	80	57·9	..	—	..	3	3	2	..	22	15·9	8
Cuttack	117	123	54·9	2	..	..	8	6	6	..	59	26·3	6
Puri†	53	32	31·5	..	..	..	8	8	2	2	32	31·5	6
TOTAL	242	235	50·5	2	..	..	19	17	10	2	113	24.3	20
Pondicherry													
Pondicherry	68	86	65·0	..	2	..	4	9	7	2	49	37·5	10
Punjab (1)													
Ambala	65	46	37·0	..	..	..	5	2	2	..	15	12·0	6
Amritsar	343	316	48·0	..	..	..	..	6	26	1	92	14·0	36
Batala	62	29	24·3	..	..	..	4	2	7	..	18	15·0	10
Bhiwani	57	51	46·7	—	..	..	3	1	1	..	11	10·0	4
Ferozepore	45	47	54·4	..	..	..	2	2	1	..	12	13·7	4
Hissar	39	29	38·6	..	..	..	5	1	1	1	14	18·6	6
Hoshiarpur	51	22	22·3	..	..	..	4	..	1	..	11	11·1	3
Jullundur	200	122	31·6	..	..	..	5	5	8	..	23	6·0	8
Karnal	72	48	34·6	..	..	..	4	..	..	..	7	5·0	1
Ludhiana	176	116	34·3	..	..	..	17	..	2	..	28	8.1	7
Moga	41	25	31·6	..	..	..	5	..	2	..	9	11.3	3
Panipat	64	37	30·2	..	..	..	6	..	2	..	11	9·0	2
Pathankot	34	14	21·3	..	..	..	..	..	5	—	7	10·4	1
Rewari	36	31	45·0	..	..	..	2	..	1	..	6	8·7	3
Rohtak	105	58	28·8	..	..	..	4	2	..	1	12	6·0	6
Simla	50	45	47·0	..	..	..	..	..	..	—	10	10.4	6
Sonipat	34	33	50·8	..	..	..	1	..	..	..	2	3·1	1
TOTAL	1,474	1,069	37·7	..	..	..	67	21	56	3	288	10·2	107
Uttar Pradesh													
Agra	375	250	34·8	..	..	..	1	5	33	..	71	9·9	22
Allahabad	349	165	24·7	..	1	..	4	2	28	2	65	9·7	15
Amroha	61	28	24·0	..	..	..	2	1	..	..	16	13·5	6
Bahraich	47	18	20·0	..	..	..	2	..	..	..	3	3·3	1
Banaras	383	424	57·6	..	..	..	62	13	16	1	203	27·4	55
Ballia	35	11	16·4	..	..	..	4	..	..	..	6	9·0	2

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate; I. D.=Infantile Deaths (included in total deaths) ; ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th August, 1956—*cond.*

Town	Mid-year Popn.—Est. (000)	B.	B. R.*	Deaths from:— C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—*contd.*													
Banda†													
Bareilly	203	94	24·2	..	..	..	14	7	7	..	36	9·3	11
Bijnor†													
Budaun	54	35	33·8	..	..	..	6	2	1	..	21	20·1	5
Basti †													
Bulandshahr†													
Chandausi	41	..	..	..	..	..	..	..	..	..	..	..	..
Dehra Dun	146	46	16·5	..	..	..	.	2	4	..	14	5·0	5
Etawah†													
Faizabad-Ayodhya	88	32	19·0	..	..	..	1	3	..	..	11	6·5	4
Farrukhabad-Fatehgarh	82	37	23·6	..	..	..	5	6	3	..	19	12·1	4
Ferozabad	79	20	13·2	..	..	..	1	..	1	..	7	4·6	1
Ghaziabad	46	119	135·3	..	..	..	10	1	..	..	12	13·6	5
Ghazipur	36	20	29·0				4	..	1	..	13	18·9	1
Gorakhpur	140	52	19·4	..	..	.	3	6	1	..	19	7 1	9
Gonda	35	12	17 9	.		.	2	..	..		2	3·0	..
Hapur	49	32	34·1	.	..		3	1	2	.	10	10·7	3
Hardwar	64	41	33·5	.	.	—	22	4	7		48	39 2	15
Hathras	62	68	57·3	..	..	..	9	5	2	..	30	25·3	9
Jaunpur	56	15	14·0	..	..	..	2	..	3	..	8	7·5	..
Jhansi	116	80	36·0	..	..	..	16	3	1	.	6	11·7	9
Kanpur	734	427	30·4		..	.	132	25	49	7	365	26·0	105
Kasganj	34	12	18·4	..	..	..	2	..	..	..	2	3 1	..
Khurja	41	30	38·0		..	..	1	..	1	..	8	10·2	1
Koil-Aligarh	150	77	26·6	7	..		11	3	1	..	37	12.6	9
Lucknow	494	354	37·5		..	..	17	6	10	1	130	13·7	48
Mathura	110	89	42·3	..	.	.	11	5	2	..	24	11·4	7
Mau-Nath Bhanjan†													
Meerut	135	73	20·6	..	..	..	4	2	3	..	15	4·2	2
Mirzapur Vindhyachal	97	61	32.9	..	..	..	8	..	2	..	32	17·2	17
Moradabad	164	150	47 8	..	..	..	9	6	7	..	40	12·7	13
Muzaffarnagar	74	26	18·4	..	..	..	8	..	1	..	13	9·2	6
Pilibhit	45	27	31·4	..	..	..	9	..	2	..	20	23·2	5
Rampur†													
Saharanpur	162	120	38·7	..	..	..	25	2	1	..	41	13·2	16
Sambhal	65	42	33·8	..	..	..	7	3	4	..	17	13·7	5
Shahjahanpur	99	48	19 7	..	..	..	4	1	1	1	16	6 6	2
Sitapur	49	20	21·2	..	..	..	4	..	1	..	5	5·3	1
TOTAL	5,050	3,155	32·5	7	1	..	425	117	195	12	1,405	14·5	4·9
West Bengal				"N.R."									
STATES—(Part B)													
Hyderabad													
Aurangabad	73	5	3·6	..	..	..	1	3	..	..	4	2·8	..
Bidar†													
Gulberga	90	27	15·6	..	..	..	2	1	1	..	5	2·8	..
Hyderabad City	1057	157	7·7	..	..	..	28	7	15	..	139	6·8	18
Jalna†													
Kothagudiam†													
Latur	41	2	2.5	..	..	..	2	..	2	..	4	5·0	..
Nanded	80	17	12·6	..	..	..	..	..	..	..	6	3·9	..
Nizambad†													
Parbhani	40	5	6·5	..	..	..	2	1	1	2	7	9·1	1
Raichur†													
Secundrabad City	162	163	52·3	..	..	..	2	2	6	1	39	12·5	12
Warangal	155	54	18.1	..	1	..	14	..	2	..	25	8·4	..
TOTAL	1,698	430	13·2	..	1	..	51	14	27	3	229	7·0	31

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B. R.=Birth Rate ; C.=Cholera ; S. =Smallpox ; P.=Plague F.=Fevers; D. D.=Dysentery and Diarrhoea ; R. D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information ; "N. R." =Informaton not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th August, 1956—*contd.*

Towns	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :— C.	S.	P.	F.	D.D.	R.D.	M.D	Total	D.R.*	I.D.
Jammu & Kashmir				"N.R."									
Madhya Bharat				"N.R."									
Mysore													
Bhadravati†													
Bangalore	977	458	24·4	..	..	..	9	42	64	..	198	10·5	..
Mysore	294	11	1·9	..	..	..	..	..	..	..	3	0·5	..
Kolar Gold Field	173	93	28·0	..	..	..	3	5	2	..	30	9·0	..
Bellary†													
Davangere	69	69	52·0	..	..	..	..	1	..	..	22	16·6	..
Hospet†													
Shimoga†													
TOTAL	1,513	631	21·7	..	..	..	12	48	66	..	253	8·7	..
PEPSU													
Patiala City	111	89	41·7	..	..	..	15	2	2	..	33	15·5	14
Malerkotla	34	18	27·5	..	..	..	4	1	..	..	6	9·2	2
Bharinda	39	36	48·0	..	..	..	3	..	1	..	4	5·3	..
TOTAL	184	143	40·4	..	..	..	22	3	3	..	43	12.2	16
Rajasthan				"N.R."									
Travancore-Cochin													
Alleppey	148	19	6·7	..	..	..	..	..	..	..	..	..	..
Changanacherry	41	39	49·5	..	..	..	3	..	1	..	7	8 9	1
Ernakulam	70	25	18·6	..	..	..	3	..	..	..	8	5·9	..
Kottayam	50	59	61·4	..	..	..	1	2	..	..	21	21·8	2
Mattanchery	85	76	46·5	..	..		4	..	2	..	21	12·8	5
Nagercoil	94	32	17·7	..	1	..	1	1	..	..	4	2·2	1
Quilon	75	63	43·7	..	..	..	1	..	..	..	3	2·5	..
Trichur	76	42	28·7	..	..	..	2	2	2	..	14	9.6	
Trivandrum City	218	73	17·4	..	..	..	4	5	2	..	24	5·7	3
TOTAL	857	428	26·0	..	1	..	19	10	7	..	102	6 2	12
Saurashtra													
Bhavnagar	157	52	17·2	..	..	..	13	3	5	.	38	12·6	13
Dhoraji	47	30	33·2	..	..	..	2	..	..	..	3	3·3	..
Gondal	41	23	29·2	..	..	..	5	2	1	..	11	14·0	4
Jamnagar	122	13	5·5	..	..	..	10	2	5	..	28	11·9	12
Junagadh	65	38	30·4	.	..	.	14	2	2	..	28	22·4	12
Morvi	43	25	30·2	..	..	..	4	2	..		6	7·3	1
Porbandar	64	50	40·6	..	..	..	13	2	2	..	32	26 0	17
Rajkot	167	56	17·4	..	..	..	16	9	5		50	15·6	23
Surendranagar†													
Veraval	46	6	6·8	..	..	..	4	1	1	1	8	9 0	..
TOTAL	752	293	20·3	..	..	..	81	23	21	1	204	14·1	82

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox; P.=Plague ; F.=Fevers; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases : M.D.=Maternal Deaths : D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; .. = Nil information; "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th August, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :— C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
				ARREAR RETURNS									
West Bengal				*For w/e* 11-8-56									
Asansol†													
Baidyabati	33	6	9·4	..	..	..	..	1	..	..	3	4.6	..
Bally	66	4	3·2	..	..	..	..	2	1	..	5	4·0	..
Bankura	50	25	26·0	..	..	..	..	..	..	..	2	2·1	..
Bansberia†													
Baranagar	90	35	20·2	..	..	..	2	6	4	..	21	12·2	7
Basirhat	39	5	6·7	..	..	..	..	1	..	..	1	1·3	..
Berhampur	64	53	43·1	..	4	..	3	2	..	..	18	14·6	2
Bhadreswar	34	6	9·1	..	..	..	..	1	..	..	2	3·0	1
Bhatpara	143	28	10·1	..	..	..	17	2	4	..	36	13.1	9
Budge Budge	32	16	26·0	..	..	..	2	3	1	..	7	11·3	..
Burdwan	82	22	14·0	..	..	..	1	..	3	..	12	7.6	..
Calcutta	2,984	1,473	25·7	1	5	..	41	74	126	6	663	11·5	187
Champdani	41	28	35·6	..	..	..	..	..	1	1	4	5·0	..
Cooch Behar	43	3	3·5	..	..	..	..	..	..	..	..	..	..
Darjeeling†													
English Bazar	36	24	34·7	..	..	..	1	..	..	..	4	5 6	..
Garden Reach	124	12	5·0	..	..	..	4	3	..	..	11	4 4	2
Halisahar	41	..	..	..	.	..	..	..	..	..	1	1·3	..
Hoogly-Chinsurah	60	65	56·4	..	1	..	5	2	..	..	16	13·7	5
Howrah	477	174	19.0	2	1	..	9	21	22	1	129	14·0	44
Jalpaiguri	49	24	25·6	..	..	..	..	..	2	1	8	8·4	..
Kamarhati†													
Kanchrapara	74	6	4·1	..	..	..	..	..	..	..	..	..	..
Krishnagar	56	..	..	..	..	..	..	..	..	..	..	..	..
Midnapore	45	19	22·0	..	..	..	1	1	..	..	11	12.6	..
Nabadwip	70	37	27·4	..	..	..	6	1	2	..	15	11·2	2
Naihati	62	4	3·4	1	..	..	3	..	..	..	8	6·6	1
North-Barrackpore	36	3	4·3	..	..	..	1	..	..	..	1	1·4	..
Panihati	65	3	2·4	..	..	..	1	..	..	..	5	4·0	..
Santipur	49	26	27·6	..	..	..	..	1	..	..	7	7·4	2
Serampore	83	44	27·6	..	..	..	2	6	2	1	25	15·6	11
Siliguri†													
South Dum Dum	83	2	1.2	..	..	..	..	..	..	..	1	6.5	..
South Suburban	124	24	10·0	..	..	..	2	2	2	..	11	4·5	3
Titagarh	78	29	19·3	..	..	..	11	..	2	..	18	12.0	4
TOTAL	5,313	2,200	21·5	4	11	..	112	129	172	10	1,045	10·2	280
Madras				*For w/e* 11-8-56									
Ambur	44	14	16·5	..	..	..	..	1	2	..	4	4·7	..
Aruppukottai	56	24	22·3	..	..	..	6	10	2	..	24	22·3	8
Bodinayakanpur	40	26	33.8	..	..	..	1	2	1	..	9	11.7	3
Cannanore	47	33	36·5	..	..	..	..	2	4	..	21	23·2	7
Chidamberam	39	42	56·0	..	..	..	..	..	1	..	16	21·3	6
Coimbatore	234	275	61·1	..	..	..	1	12	16	2	82	18·2	30
Cuddalore	74	69	48·5	..	..	..	3	2	2	..	25	17·6	6
Dindigul	90	85	49·1	..	..	..	4	1	2	2	23	18·5	6
Erode	67	49	38·0	..	..	..	..	4	2	1	22	17·1	6
Gobichetty Palayam	38	24	32.8	..	..	..	..	..	..	..	5	6.8	1
Guddiyattam	53	74	72·6	..	..	..	..	2	1	..	10	9.8	2
Kancheepuram	90	74	42·8	..	6	..	..	7	14	..	45	26·0	11
Karaikudi†													
Karur†	50	33	34·3	..	..	..	2	..	1	..	9	9·4	1
Kozhikode	176	120	35·5	..	..	..	4	5	11	..	84	24·8	22

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. =Births ; B.R. =Birth Rate ; C. =Cholera ; S. =Smallpox ; P. =Plague ; F. =Fevers D. D. =Dysentery and Diarrhoea ; R.D. =Respiratory Diseases ; M. D. =Maternal Deaths ; D.R. =Death Rate ; I.D. =Infantile Deaths (included in total deaths) ; .. =Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th August, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :— C.	S.	P.	E.	D.D.	R.D.	M.D.	Total	D.R*.	I.D.
Madras—*contd.*													
Kumbakonam	105	111	55·0	..	2	..	1	2	1	1	24	11·9	3
Madras	,703	1,338	40·8	..	1	..	57	114	159	..	576	17·6	173
Mangalore	136	148	56.6	..	..	..	4	3	5	..	48	18·4	12
Mathurai	427	349	42.5	..	..	..	12	11	45	..	137	16.7	41
Mayuram	49	27	28.7	..	..	..	..	1	..	..	6	6.4	1
Malapalyam	41	9	11.4	..	..	..	..	..	1	..	5	6.3	..
Nagapattinam	60	55	47·7	..	..	..	4	3	..	1	22	19·1	5
Ootacamund	48	27	29·2	..	..	..	..	1	4	1	19	20·6	5
Palni	40	28	36·4	..	..	..	..	..	3	..	9	11.7	3
Palayamkottai	45	58	67·0	..	..	..	3	2	6	1	27	31·2	5
Palghat†													
Periyakulam	34	33	50.5	..	..	..	1	2	2	..	11	16 8	4
Pollachi	51	53	54·0	..	..	..	1	..	2	..	9	9·2	2
Pudukottai	50	38	39·5	..	..	..	4	..	2	..	13	13.5	..
Rajapalayam	69	29	21·9	..	..	..	2	5	4	..	21	15·8	4
Salem†													
Srirangam	42	47	58·2	..	..	..	..	1	1	..	9	11·1	1
Srivilliputtur†													
Tanjore	118	216	95·2	..	..	.	..	4	..	2	39	17·2	12
Tellicherry	42	35	43·3	..	..	.	..	..	1	1	19	23·5	2
Tiruvannamalai	45	26	30·0	..	..	..	2	..	3	..	13	15·0	1
Tirunelveli	80	48	31·2	..	..	..	..	5	4	..	18	11·7	7
Tiruppur	63	55	45·4	..	..	..	1	3	1	..	12	9·9	4
Tiruchirappalli	251	112	23·2	..	..	..	2	4	5	2	53	10·9	7
Tuticorin	111	86	40·3	..	1	..	6	7	11	..	55	25·8	21
Vaniyambadi	43	28	33·9	..	..	..	..	2	1	..	8	9·7	2
Vellore	124	128	53·7	..	..	..	2	6	13	..	39	16·4	14
Villupuram	39	41	54·7	..	1	..	..	1	1	..	14	18·7	3
Virudunagar	53	47	46·1	..	..	..	2	2	1	..	7	6·9	1
TOTAL	4,967	4,114	43·1	..	11	..	125	227	335	14	1,601	16·8	442
Madhya Bharat				*For w/e 11-8-56*									
Greater Gwalior†													
Indore†													
Ujjain	156	53	17·7	..	..	..	12	3	..	..	45	15·1	15
Mandsaur	41	17	21·6	..	..	..	3	..	1	..	4	5·1	2
Ratlam	73	35	24·9	..	..	..	3	..	..	..	4	2·8	..
TOTAL	270	105	20·2	..	..	..	18	3	1	..	53	10·2	17
				For w/e 4-8-56									
Greater Gwalior	273	67	12·8	..	..	..	5	1	1	..	25	4 8	6
Ratlam	73	16	11·4	..	1	..	4	..	..	..	7	5·0	..
Jammu & Kashmir				*For w/e 2-6-56*									
Jammu	69	39	29·4	..	..	..	5	1	2	1	15	11·3	2
				For w/e 9-6-56									
Jammu	69	45	33·9	..	..	..	6	..	..	..	12	9·0	..
				For w/e 16-6-56									
Jammu	69	40	30·1	..	..	..	3	1	1	..	9	6·8	3

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used : —B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths; D.R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); .. — Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 18th August, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R *	Deaths from:— C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R *	I.D.
Punjab							*For w/e 23-6-56*						
Rewari	36	30	43·4	..	..	..	6	..	2	..	10	14·3	..
							For w/e 28-7-56						
Rewari	36	24	34·4	..	..	..	2	..	1	..	6	8·6	..
Madhya Pradesh							*For w/e 11-8-56*						
Achalpur	38	32	43·8	..	..	..	7	..	..	..	12	16·4	1
Akola	104	123	61·5	..	..	..	8	7	2	..	40	20·0	7
Amravati†													
Bilaspur	40	27	35·1	..	..	..	4	..	..	..	15	19·5	8
Burhanpur†													
Chanda	43	30	36·3	..	..	..	1	..	2	..	14	16·9	5
Chindwara†													
Damoh	42	30	37·1	..	..	..	6	..	..	..	15	18.6	..
Gondia†													
Itarsi	30	25	43·3	..	..	..	1	..	..	..	1	1·7	..
Hingaghat†													
Jabalpur†													
Khandwa†													
Khangaon†													
Kamptee†													
Murwara†													
Nagpur†													
Sagar	75	34	23·6	..	..	..	4	..	..	..	12	8.3	..
Raipur†													
Raigarh†													
Wardha†													
Yeotmal	41	22	27·9	..	..	..	3	1	..	..	13	16·5	3
Total	413	223	40·7	..	..	..	34	8	4	..	122	15 4	24
							For w/e 12-5-56						
Itarsi	30	19	32·9	..	..	..	6	..	..	..	8	13·9	..
							For w/e 2-6-56						
Itarsi	30	16	27·7	..	..	..	2	..	..	..	4	6·9	2
							For w/e 9-6-56						
Itarsi	30	16	27·7	..	..	..	1	..	..	..	1	1·7	1
							For w/e 4-8-56						
Damoh	42	42	52·0	..	..	..	5	..	..	..	7	8·7	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :— B.=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox ; P.=Plague ; F.=Fever D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths; D. R. =Death Rate ; I. D.=Infantile deaths (included in total deaths) ; ..=Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 18th August, 1956, relate to 221 towns with an estimated population of 30,362 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 69% of the total number of towns representing 73% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 16,918 and 6,961 representing birth and death rates of 29·0 and 11·9 per thousand of population respectively.

(*a*) *States* (*Part A and C*):—The data here relate to 188 towns with an estimated population of 25,358 thousands. Information about West Bengal could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 74% of the total number of towns representing 76% of the total population is covered. The number of births and deaths recorded in these towns were 14,993 and 6,130 representing birth rates and death rates of 30·7 and 12·6 per thousand of population respectively. The table at the end gives the position by States. No town recorded a high death rate of 50 or over per thousand of population.

(*b*) *States* (*Part B*):—The data here relate to 33 towns with an estimated population of 5,004 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 51% of the total number of towns representing 62% of the total population is covered. The number of births and deaths recorded in these towns were 1,925 and 831 representing birth and death rates of 20·0 and 8·6 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 18-8-56		Corresponding w e last year		Corresponding mean during the previous 5-year period.	
	B.R.	D.R.	B.R	D.R.	B.R.	D.R.
Ajmer	17·3	9·0	†	†	35·3	12·9
Andhra	32·1	15·3	35·1	13·7	†	†
Bihar	17·8	7·9	23·2	8·3	17·3	8·2
Bombay	30·3	12·0	34·4	15·9	32·3	16·7
Delhi	31·2	8·1	43·3	7·0	40·2	9·8
Madhya Pradesh	36·9	13·6	32·7	12·3	39·5	18·0
Madras	30·7	14·1	39·8	16·3	†	†
Orissa	50·5	24·3	49·1	22·0	43·7	21·5
Punjab (I)	37·7	10·2	41·1	10·6	37·9	12 0
Uttar Pradesh	32·5	14·5	42·1	16·9	39·6	17·9
India*	30·7	12·6	36·7	14·0	35·7	16·

* 8 Part "A" States and 2 Part "C" States.

† Figures not available.

NEW DELHI-2 (INDIA);
The 10th September 1956.

K. MITRA,
for *Registrar General, India.*

PRINTED IN INDIA BY THE GENERAL MANAGER, GOVERNMENT OF INDIA PRESS, NEW DELHI AND PUBLISHED BY THE MANAGER OF PUBLICATIONS, DELHI. 1956